

Printing date 25.09.2024 Version 1 Revision: 25.09.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: INSEBO MS Flächenkleber 666

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / mixture Assembly adhesive

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

WS INSEBO GmbH

Industriestraße 24, A-2325 Himberg bei Wien

Tel.: +43 (0) 2235/86227-0 e-mail: office@insebo.com

**1.4 Emergency telephone number** Call local emergency information.

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 void

#### Hazard pictograms void

Signal word void

## Hazard-determining components of labelling:

trimethoxyvinylsilane

Hazard statements void

#### **Precautionary statements**

P102 Keep out of reach of children.

#### **Additional information:**

EUH208 Contains trimethoxyvinylsilane. May produce an allergic reaction.

#### 2.3 Other hazards

### Results of PBT and vPvB assessment

The product contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixture

**Description:** Mixture of substances listed below with non-hazardous additions.

Dangerous components:		
CAS: 25322-69-4	propane-1,2-diol, propoxylated	2.5 - 10%
NLP: 500-039-8	substance with a Community workplace exposure limit	
CAS: 2768-02-7	trimethoxyvinylsilane	< 2.0%
EINECS: 220-449-8	Flam. Liq. 3, H226; Acute Tox. 4, H332; Skin Sens. 1B, H317	
Index number: 014-049-00-0		
Reg.No.: 01-2119513215-52		



Printing date 25.09.2024 Version 1 Revision: 25.09.2024

Trade name: INSEBO MS Flächenkleber 666

Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General information: In case of accident or if you feel unwell seek medical advice (show label where possible).

After inhalation: Supply fresh air; consult doctor in case of complaints.

#### After skin contact:

Remove contaminated clothes. Rinse skin thoroughly with water and soap. In case of irritation seek medical treatment.

## After eye contact:

Rinse opened eye for several minutes under running water. Get medical advice if irritation persists.

#### After swallowing:

Rinse out mouth with plenty of water. If symptoms of indisposition persist, seek medical advice.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing agents: Use extinguishing media suitable to surrounding conditions.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

## **5.3** Advice for firefighters

**Protective equipment:** Use protective equipment suitable to the situation.

Additional information Contain runoff to prevent entry into water or drainage systems.

## **SECTION 6:** Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Particular danger of slipping on leaked/spilled product.

## **6.2 Environmental precautions:**

Do not allow to enter sewers, surface or ground water.

Contain the spilled material by bunding.

## 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid or universal binders, sawdust).

Allow to solidify and remove mechanically.

#### **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.



Printing date 25.09.2024 Version 1 Revision: 25.09.2024

Trade name: INSEBO MS Flächenkleber 666

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid eye and skin contact with the product.

Provide good ventilation/exhaustion at the workplace.

Wash hands before break and at the end of work.

Information about fire - and explosion protection: No special measures required.

## 7.2 Conditions for safe storage, including any incompatibilities

## Requirements to be met by storerooms and receptacles:

Store in tightly closed original packaging in a dry, cool place.

Protect from moisture.

## Information about storage in one common storage facility:

Do not store food, beverages and animal feeding stuff in the storage area.

### Further information about storage conditions:

Keep out of the reach of children and domestic animals.

Keep container tightly sealed.

7.3 Specific end use(s) Assembly adhesive

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

## Ingredients with limit values that require monitoring at the workplace:

CAS: 25322-69-4 propane-1,2-diol, propoxylated

MAK (Germany) vgl. Abschn. IIb und Xc

Regulatory information MAK (Germany): MAK- und BAT-Liste

#### 8.2 Exposure controls

**Appropriate engineering controls** Provide adequate ventilation.

## Individual protection measures, such as personal protective equipment

#### **General protective and hygienic measures:**

Avoid unnecessary contact with the product. Do not eat, drink or smoke at workplace.

Remove contaminated clothing and wash carefully before reuse.

Wash hands before break and at the end of work.

**Respiratory protection:** Not required if room is well-ventilated.

Hand protection Protective gloves recommended.

## Material of gloves

Due to missing tests no recommendation to the glove material can be given for the product.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

## Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Goggles recommended during refilling.

**Body protection** Not required if handled properly.



Version 1 Revision: 25.09.2024 Printing date 25.09.2024

Trade name: INSEBO MS Flächenkleber 666

Environmental exposure controls Do not allow to enter sewers/surface or ground water.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties Form: Pasty Colour: White Odour: Characteristic Melting point/freezing point: No data available

Boiling point or initial boiling point and boiling

range:

No data available Flammability: Not applicable. Lower and upper explosion limit: No data available. Flash point: No data available No data available. **Auto-ignition temperature: Decomposition temperature:** No data available. Not determined. pH:

Viscosity

> 50 Pas dynamic:

**Solubility** 

water: Not miscible or difficult to mix.

Partition coefficient, n-octanol/water: No data available. Not determined. Vapour pressure: ≈ 1 g/cm<sup>3</sup> **Density:** 

No data available. Relative gas density

9.2 Other information

**Explosive properties:** Product does not present an explosion hazard.

**Oxidising properties:** No data available.

Information with regard to physical hazard classes Not relevant.

## **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions No hazardous reactions known if used according to specifications.
- 10.4 Conditions to avoid Moisture, extreme temperatures and direct sun exposure.
- 10.5 Incompatible materials No further relevant information available.
- 10.6 Hazardous decomposition products None under normal conditions of storage and use.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification: There are no product specific data on toxicology available.



Printing date 25.09.2024 Version 1 Revision: 25.09.2024

Trade name: INSEBO MS Flächenkleber 666

### **Primary irritant effect:**

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eve damage/irritation Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

The product contains a sensitising substance/sensitising substances. Skin contact may cause allergic reactions.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

**Endocrine disrupting properties** None of the ingredients is listed.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: Based on available data, the classification criteria are not met.

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects** No further relevant information available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Recommendation

Do not dispose waste or remains together with domestic waste, do not empty into sink or toilet, hand over to hazardous waste disposers.

Small quantities of cured residue can be disposed of along with domestic waste according to local regulations.

European waste catalogue 08 04 10: waste adhesives and sealants other than those mentioned in 08 04 09

### **Uncleaned packaging**

## **Recommendation:**

Cartridges/buckets/pouches should be emptied completely and should preferably be recycled or reused in compliance with the local/national regulations. Cartridges/buckets/pouches not emptied appropriately or remains have to be disposed of like the product.



Printing date 25.09.2024 Version 1 Revision: 25.09.2024

Trade name: INSEBO MS Flächenkleber 666

SECTION 14: Transport informat	tion	
14.1 UN number or ID number ADR, IMDG, IATA	void	
14.2 UN proper shipping name ADR, IMDG, IATA	void	
14.3 Transport hazard class(es)		
ADR, IMDG, IATA Class	void	
14.4 Packing group ADR, IMDG, IATA	void	
14.5 Environmental hazards:	not applicable	
14.6 Special precautions for user	not required	
14.7 Maritime transport in bulk accordin instruments	not applicable	
UN "Model Regulation":	void	

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso category Not applicable.

Classification according to VbF: void

Water hazard class: Water hazard class (German Regulation) 1 (self-assessment): slightly hazardous for water.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

#### **Further information:**

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008: Bridging principle "Substantially similar mixtures".

#### Abbreviations and acronyms:

CLP: REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

CAS: Chemical Abstracts Service (division of the American Chemical Society)

EINECS: European Inventory of Existing Commercial Chemical Substances

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

MAK: maximum concentration of a chemical substance in the workplace

PBT: persistent, bioaccumulative and toxic properties

vPvB: very persistent and very bioaccumulative properties

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods



Printing date 25.09.2024 Version 1 Revision: 25.09.2024

Trade name: INSEBO MS Flächenkleber 666

IATA: International Air Transport Association

VbF: Ordinance on the storage of combustible liquids, Austria

REACH: REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Sens. 1B: Skin sensitisation – Category 1B

Sources: Safety data sheets of the components

Data compared to the previous version altered: -